

FIG. 1

Applicant(s): Makoto Kikuchi et al.



COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 2A






FIG. 3A

Applicant(s): Makoto Kikuchi et al.


COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 3B




FIG. 4

Applicant(s): Makoto Kikuchi et al.


COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 5




FIG. 6

Applicant(s): Makoto Kikuchi et al.


COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 7




FIG. 8

Applicant(s): Makoto Kikuchi et al.


COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 9




FIG. 10

Applicant(s): Makoto Kikuchi et al.


COMPOSITION COMPRISING MIDKINE OR PLEIOTROPHIN
PROTEIN AND METHOD OF INCREASING HEMATOPOIETIC
CELLS

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15